Single Handle Lavatory Faucet

Model: KF-69356

FLOW RATE:

1.8 GPM (6.8L/min) @ 60 PSI

Overall Height

15-3/4"

Standards

CUPC
NSF/ANSI/CAN 61-2023
NSF/ANSI/CAN 372-2022




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: KF-69356




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: KF-69356



No	Description
1	Spout
2	Spout Sleeve
3	Spray Hose
4	Spray Head Gasket
5	Spray Head
6	Wear Ring (x2)
7	O-Ring (x3)
8	Swivel Joint
9	Faucet Body
10	Button
11	Hexagon Screw
12	Handle
13	Decorative Cup
14	Cartridge Cover
15	Cartridge
16	Cartridge Seat
17	Base
18	Base Gasket
19	Shank
20	Rubber Pad
21	Gasket
22	Nut
23	Mounting Screw (x2)
24	Outlet Line
25	Water Supply Line (x2)
26	Counterweight

1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR