Single Handle Lavatory Faucet

Model: KF-69358

FLOW RATE:

1.8 GPM (6.8L/min) @ 60 PSI

Overall Height

15-3/4"

Standards

CUPC
NSF/ANSI/CAN 61-2023
NSF/ANSI/CAN 372-2022




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: KF-69358




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: KF-69358



No	Description
1	Spout
2	Spout Sleeve
3	Spray Hose
4	Spray Head Gasket
5	Spray Head
6	Wear Ring (x2)
7	Swivel O-Ring (x3)
8	Swivel Joint
9	Faucet Body
10	Button
11	Lever Hexagon Screw
12	Handle Lever
13	Handle Hexagon Screw
14	Handle
15	Handle Decorative Cup
16	Cartridge Connector
17	Decorative Cup
18	Cartridge Cover
19	Cartridge
20	Cartridge Seat
21	Base
22	Base O-Ring
23	Shank
24	Rubber Pad
25	Gasket
26	Nut
27	Mounting Screw (x2)
28	Hose Clip
29	Outlet Line
30	Water Supply Line (x2)
31	Counterweight

1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR