Single Handle Lavatory Faucet

Model: KF-69359

FLOW RATE:

1.8 GPM (6.8L/min) @ 60 PSI

Overall Height

17-5/16"

Standards

CUPC
NSF/ANSI/CAN 61-2023
NSF/ANSI/CAN 372-2022




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: KF-69359




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: KF-69359



No	Description
1	Spout
2	Spray Hose
3	Spout Sleeve
4	Spray Head Gasket
5	Spray Head
6	Swivel O-Ring (x2)
7	Wear Ring (x2)
8	Swivel Joint
9	Faucet Body
10	Handle Lever
11	Hexagon Screw
12	Handle
13	Decorative Cup
14	Cartridge Cover
15	Cartridge
16	Cartridge Seat
17	Base
18	Base O-Ring
19	Rubber Pad
20	Gasket
21	Shank
22	Nut
23	Mounting Screw (x2)
24	Outlet Connector
25	Hose Clip
26	Water Supply Line (x2)
27	Counterweight

1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR