Single Handle Lavatory Faucet

Model: KF-69360

FLOW RATE:

1.8 GPM (6.8L/min) @ 60 PSI

Overall Height

18-1/2"

Standards

CUPC
NSF/ANSI/CAN 61-2023
NSF/ANSI/CAN 372-2022




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: KF-69360




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: KF-69360



No	Description
1	Spout
2	Spray Hose
3	Spout Sleeve
4	Spray Head Gasket
5	Spray Head
6	Swivel O-Ring (x2)
7	Wear Ring (x2)
8	Swivel Joint
9	Faucet Body
10	Button
11	Hexagon Screw
12	Handle
13	Decorative Cup
14	Cartridge Cover
15	Cartridge
16	Shank Connector
17	Base O-Ring
18	Cartridge Seat
19	Outlet Connector
20	Shank
21	Rubber Pad
22	Gasket
23	Nut
24	Mounting Screw (x2)
25	Hose Clip
26	Counterweight
27	Water Supply Line (x2)

1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR