Single Handle Lavatory Faucet

Model: KF-95305

FLOW RATE:

1.8 GPM (6.8L/min) @ 60 PSI

Overall Height

15-7/16"

Standards

CUPC
NSF/ANSI/CAN 61-2023
NSF/ANSI/CAN 372-2022




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: KF-95305




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: KF-95305



No	Description
1	Spout
2	Spout Sleeve
3	Spray Hose
4	Spray Head
5	Spout Collar
6	Tube Sleeve
7	Swivel Joint
8	Large O-Ring (x2)
9	Small O-Ring
10	Faucet Body
11	Hexagon Screw (x2)
12	Handle Lever (x2)
13	Handle (x2)
14	Decorative Cup (x2)
15	Cartridge Cover (x2)
16	Cartridge (x2)
17	Base
18	Base O-Ring
19	Shank
20	Rubber Pad
21	Gasket
22	Nut
23	Mounting Screw (x2)
24	Outlet Line
25	Water Supply Line (x2)
26	Counterweight

1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR