Single Handle Lavatory Faucet

Model: SHLF-30

FLOW RATE:

1.5 GPM (5.7L/min) @ 60 PSI

Overall Height

6-7/8”

Standards

CUPC
NSF/ANSI/CAN 61-2023
NSF/ANSI/CAN 372-2022
EPA WaterSense




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: SHLF-30




1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: SHLF-30




No	Description
1	Button
2	Hexagon Screw
3	Handle
4	Decorative Cup
5	Cartridge Cover
6	Cartridge
7	Faucet Body
8	Flat Gasket
9	Aerator
10	Aerator Shell
11	Rubber Pad
12	Gasket
13	Nut
14	Water Supply Line (x2)
15	Deck Plate
16	Pop-Up Drain Assembly


1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet
Model: SHLF-30




1
Remove the Mounting Hardware




Slide the nut, gasket and rubber pad off the threaded shank.

2
Position the Faucet




Without Deck Plate: Insert the faucet through the mounting hole.
With Deck Plate: Place the deck plate over the holes, then insert the faucet. Apply silicone if needed.

3
Secure the Faucet



From below, install the rubber pad, gasket, and nut. Align the handle forward, then tighten the nut and screws.
Do not overtighten.


4
Flush the Supply Stops



Open each angle stop and flush water into a bucket for 15 seconds to remove any debris.


1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR



5


Connect the Supply Lines



Hand-thread each supply line onto its angle stop. Tighten both ends with an adjustable wrench.

6


Check for Leaks



Open both angle stops and run the faucet for one minute. Check all connections and tighten if needed.

7

Flush the Faucet




Remove the aerator from the spout. Run hot and cold water for 30 seconds, then reinstall the aerator.


1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR

Single Handle Lavatory Faucet

Model: SHLF-30





1274 49th St. Suite 217, Brooklyn, NY 11219
www.vasear.com
info@vasear.com

VASEAR